




# BEARING-SINGAPORE (PTE)LTD.



6928 Bearing 2D drawings and 3D CAD models

## 6928 KOYO Single-row deep groove ball bearings

Bearing No. 6928

Size	140x190x24 mm
Bore Diameter	140 mm
Outer Diameter	190 mm
Width	24 mm
d	140 mm
D	190 mm
B	24 mm
C	24 mm
r min.	1,5 mm
da min.	148 mm
Da max.	182 mm
ra max.	1,5 mm
Weight	1,98 Kg
Basic dynamic load rating (C)	71,3 kN
Basic static load rating (C0)	74,8 kN
(Grease) Lubrication Speed	3200 r/min
(Oil) Lubrication Speed	3800 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	2.138
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0



## BEARING-SINGAPORE (PTE)LTD.

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	140MM Bore; 190MM Outside Diameter; 24MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Manufacturer Item Number	6928
Weight / LBS	4.714
Bore	5.512 Inch   140 Millimeter
Outside Diameter	7.48 Inch   190 Millimeter
Outer Race Width	0.945 Inch   24 Millimeter
Bearing No.	6928
r(min)	1.5
Cr	89.1
C0r	74.8
Cu	3.05
f0	16.5
Grease lub.	3200
Oil lub.	3800



## BEARING-SINGAPORE (PTE)LTD.

da(min)	148
Da(max)	182
ra(max)	1.5
(Refer.)Mass(kg)	1.98